

ASTM Property

Grade	VA900
Product	EVA

General Information

Key Features	<ul style="list-style-type: none"> - VA900 resin is produced by ExxonMobil Chemical's autoclave process technology. - VA900 resin, with 28% VA content, is an excellent raw material in the application of hot melt adhesives.
--------------	--

Applications	- Hot melt adhesives
--------------	----------------------

Item	Measuring Method	Unit	Value
Physical			
Melt Flow Index	ASTM D1238	g/10min	150.0
Vinyl Acetate	LDP Method	wt.%	28
Density	ASTM D1505	g/cm ³	0.950
Mechanical			
Hardness	ASTM D2240	D scale	21
Thermal			
Melting Point	LDP Method	°C	67
VICAT Softening Temperature	ASTM D1525	°C	<40

1. Physical Properties : these are not to be construed as specifications
2. ISO 9001, 14001

* The last update date : 2026/6/01